Contents

VOLUME 37 NUMBER 1

2 **New Honorary Member of the British Society for Plant Pathology** R. K. S. Wood, FRS

4 *R. C. Shattock*. Studies on the inheritance of resistance to metalaxyl in *Phytophthora infestans*

12 *J. Rotem, U. Wendt and J. Kranz*. The effect of sunlight on symptom expression of *Alternaria alternata* on cotton

16 *J. Rotem, J. Eidt, U. Wendt and J. Kranz*. Relative effects of *Alternaria alternata* and *A. macrospora* on cotton crops in Israel

20 *H. Thordal-Christensen and V. Smedegård-Petersen*. Comparison of resistance-inducing abilities of virulent and avirulent races of *Erysiphe graminis* f.sp. *hordei* and a race of *Erysiphe graminis* f.sp. *tritici* in barley

28 *F. M. Dewey and C. M. Brasier*. Development of ELISA for *Ophiostoma ulmi* using antigen-coated wells

36 *Z. A. Pretorius, F. H. J. Rijkenberg and R. D. Wilcoxson*. Effects of growth stage, leaf position and temperature on adult-plant resistance of wheat infected by *Puccinia recondita* f.sp. *tritici*

45 *J. N. Gibbs, N. England and R. Wolstenholme*. Variation in the pine stem rust fungus *Peridermium pini* in the United Kingdom

54 *V. J. Galea and T. V. Price*. Survival of the lettuce anthracnose fungus (*Microdochium panattonianum*) in Victoria

64 *R. M. Jiménez Díaz and R. L. Millar*. Sporulation on infected tissues, and presence of airborne *Verticillium albo-atrum* in alfalfa fields in New York

71 *D. J. Vakalounakis*. The genetic analysis of resistance to fusarium crown and root rot of tomato

74 *M. S. Pinner, P. G. Markham, R. H. Markham and E. L. Dekker*. Characterization of maize streak virus: description of strains; symptoms

88 *R. A. Bray*. Inheritance of rust resistance in *Macroptilium atropurpureum*

96 *H. J. Ogle, J. A. G. Irwin and R. A. Bray*. Quantitative histological studies of compatible and incompatible interactions between accessions of *Macroptilium atropurpureum* and *Uromyces appendiculatus*

104 *P. G. Brisbane and A. D. Rovira*. Mechanisms of inhibition of *Gaeumannomyces graminis* var. *tritici* by fluorescent pseudomonads

112 *J. F. Jenkyn and J. E. King*. Effects of treatments to perennial ryegrass on the development of *Septoria* spp. in a subsequent crop of winter wheat

120 *G. Cristinzio, F. Marziano and M. Giannattasio*. Agglutination response of the conidia of eight *Fusarium* species to lectins having different sugar-binding specificities

125 *G. I. Johnson*. Inhibition of germination of sporangia of *Peronospora hyoscyami* by cation deprivation: the effects of substrate and chelating agents

131 *A. J. Wright and J. B. Heale*. Host responses to fungal penetration in *Erysiphe graminis* f.sp. *hordei* infections in barley

141 *Y. Elad, E. Shabi and T. Katan*. Negative cross resistance between benzimidazole *N*-phenylcarbamate fungicides and control of *Botrytis cinerea* on grapes

New or unusual records

148 *H. W. Johnston and P. R. Scott*. Identification of oat-adapted isolates of cereal *Septoria* in the UK using a detached leaf technique

152 *R. S. Lutchmeah. Botryodiplodia theobromae* causing fruit rot of *Annona muricata* in Mauritius

153 *P. O'Reilly, E. Bannon and M. J. Downes. Leptosphaeria nodorum* on wheat in Ireland

155 Book reviews

VOLUME 37 NUMBER 2

Letter to the editor

165 *J. E. Vanderplank*. Specificity, interaction and additivity in host-pathogen systems

Review

168 *J. G. Harrison*. The biology of *Botrytis* spp. on *Vicia* beans and chocolate spot disease

202 *G. W. Herd and A. J. L. Phillips*. Control of seed-borne *Sclerotinia sclerotiorum* by fungicidal treatment of sunflower seed

206 *S. B. Mohan*. Evaluation of antisera raised against *Phytophthora fragariae* for detecting the red core disease of strawberries by enzyme-linked immunosorbent assay (ELISA)

217 *J. F. Webber*. Effect of MBC fungicide tolerance on the fitness of *Ophiostoma ulmi*

225 *W. S. Washington*. *Phytophthora cryptogea* as a cause of root rot of raspberry in Australia; resistance of raspberry cultivars and control by fungicides

231 *I. R. Crute and J. M. Harrison*. Studies on the inheritance of resistance to metalaxyl in *Bremia lactucae* and on the stability and fitness of field isolates

251 *T. W. Hollins, K. D. Lokley, J. A. Blackman, P. R. Scott and J. Bingham*. Field performance of Rendezvous, a wheat cultivar with resistance to eyespot (*Pseudocercosporella herpotrichoides*) derived from *Aegilops ventricosa*

261 *J. R. Coley-Smith and A. R. Entwistle*. Susceptibility of garlic to *Sclerotium cepivorum*

265 *R. A. Bain, J. H. Lennard and R. L. Wastie*. The influence of cultivar and mechanical damage on the relationship between inoculum concentration of *Phoma exigua* var. *foveata* on potato tubers and gangrene development

271 *J. S. Cole and Z. Zvenyika*. Integrated control of *Rhizoctonia solani* and *Fusarium* in tobacco transplants with *Trichoderma harzianum* and triadimenol

New or unusual records

278 *J. H. Buxton and M. A. Esterbrook*. Thrips as a probable cause of severe fruit distortion in late-season strawberries

281 *B. McKeown*. Downy mildew of boysenberry and tummelberry in the UK

285 *P. R. Scott, F. R. Sanderson and P. W. Benedikz*. Occurrence of *Mycosphaerella graminicola*, teleomorph of *Septoria tritici*, on wheat debris in the UK

291 *G. L. Bateman*. *Pseudocercosporella anguioides*, a weakly pathogenic fungus associated with eyespot in winter wheat at a site in England

297 *A. H. Thompson and A. J. L. Phillips*. Root rot of cabbage caused by *Phytophthora drechsleri*

300 *R. S. Romeiro, R. M. Sousa, J. J. Muchovej and O. Kimura*. Soft rot of Peruvian carrot to *Erwinia carotovora* in Brazil

303 Book reviews

VOLUME 37 NUMBER 3

Review

311 *B. D. L. Fitt, A. Goulds and R. W. Polley*. Eyespot (*Pseudocercosporella herpotrichoides*) epidemiology in relation to prediction of disease severity and yield loss in winter wheat—a review

329 *G. L. Boland and R. Hall*. Relationships between the spatial pattern and number of apothecia of *Sclerotinia sclerotiorum* and stem rot of soybean

337 *P. J. Cotterill and K. Sivasithamparam*. Importance of the proportion of grassy weeds within legume crops in the perpetuation of *Gaeumannomyces graminis* var. *tritici*

344 *F. C. Greenhalgh, P. R. Merriman and P. J. Keane.* Relative importance of root rots of subterranean clover caused by *Aphanomyces euteiches and Phytophthora clandestina*

351 *R. J. O'Connell and J. A. Bailey.* Differences in the extent of fungal development, host cell necrosis and symptom expression during race-cultivar interactions between *Phaseolus vulgaris* and *Colletotrichum lindemuthianum*

363 *V. J. Galea and T.V. Price.* Resistance of lettuce and related species to anthracnose (*Microdochium panattonianum*) in Australia

373 *D. J. Vakalounakis.* Cultivar reactions and the genetic basis of resistance to alternaria stem canker (*Alternaria alternata* f.sp *lycopersici*) in tomato

377 *G. A. Hide, S. M. Hall and K. J. Boorer.* Resistance to thiabendazole in isolates of *Helminthosporium solani*, the cause of silver scurf disease of potatoes

381 *T. Locke and J. T. Fletcher.* Incidence of benomyl and iprodione resistance in isolates of *Botrytis cinerea* in tomato crops in England and Wales in 1986

385 *K. M. Lord, H. A. S. Epton and R. R. Frost.* Virus infection and furanocoumarins in celery

390 *J. M. Munro, A. Dolan and B. Williamson.* Cane spot (*Elsinoe veneta*) in red raspberry: infection periods and fungicidal control

397 *D. M. Kennedy and J. M. Duncan.* Frequency of virulence phenotypes of *Phytophthora fragariae* in the field

407 *R. A. Ennos and K. W. Swales.* Genetic variation in tolerance of host monoterpenes in a population of the ascomycete canker pathogen *Crumenulopsis sororia*

417 *I. Barker and D. Pitt.* Detection of the leaf curl pathogen of anemones in corms by enzyme-linked immunosorbent assay (ELISA)

423 *E. P. Dashwood and R. A. Fox.* Infection of flowers and fruits of red raspberry by *Botrytis cinerea*

431 *R. A. Bain and M. C. M. Pérombelon.* Methods of testing potato cultivars for resistance to soft rot of tubers caused by *Erwinia carotovora* subsp. *atroseptica*

New or unusual records

438 *M. Hyakumachi and T. Ui.* Development of the teleomorph of non-self-anastomosing isolates of *Rhizoctonia solani* by a buried-slide method

441 *I. C. Rumbos. Cytospora oleina* causing canker and dieback of olive in Greece

445 *J. D. Brown and A. A. Brunt.* The natural occurrence of white clover mosaic virus in sweet pea (*Lathyrus odoratus*) in south-east England

447 *J. J. Muchovej.* Leaf spot of St Augustine grass (*Stenotaphrum secundatum*) caused by *Cochliobolus bicolor*

450 Book reviews

458 Corrigenda

VOLUME 37 NUMBER 4

British Society for Plant Pathology Presidential Address 1987

460 *T. F. Preece.* Some observations on *Pseudomonas*-induced plant diseases: a prelude to understanding their epidemiology

Review

470 *L. Liu and X. Li.* The geographical distribution of sunflower diseases in China

475 *B. E. J. Wheeler and R. Mepsted.* Pathogenic variability amongst isolates of *Crinipellis perniciosa* from cocoa (*Theobroma cacao*)

489 *F. M. McGeary and B. E. J. Wheeler.* Growth rates of, and mycelial interactions between, isolates of *Crinipellis perniciosa* from cocoa

499 *M. P. McQuilken, Supriadi and S. A. Rudgard.* Sensitivity of *Crinipellis perniciosa* to two triazole fungicides *in vitro* and their effect on development of the fungus in cocoa

507 *E. C. Tjamos and E. J. Paplomatas.* Long-term effect of soil solarization in controlling verticillium wilt of globe artichokes in Greece

516 *L. V. Gunn and R. D. Pares.* Effect of potato physiology on the interpretation of ELISA results for potato leafroll virus

522 *J. W. Deacon, R. K. W. MacDonald, F. M. Fox and D. Lascaris.* Application of alginate gel for protection of wounds against crown gall (*Agrobacterium tumefaciens*)

529 *S. Chakraborty, D. F. Cameron, J. A. G. Irwin and L. A. Edye.* Quantitatively expressed resistance to anthracnose (*Colletotrichum gloeosporioides*) in *Stylosanthes scabra*

538 *J. A. Lucas, I. R. Crute, C. Sherriff and P. L. Gordon.* The identification of a gene for race-specific resistance to *Peronospora parasitica* (downy mildew) in *Brassica napus* var. *oleifera* (oilseed rape)

546 *P. L. Guy.* Pasture ecology of barley yellow dwarf viruses at Sandford, Tasmania

551 *E. Levy, Z. Eyal and I. Chet.* Suppression of septoria tritici blotch and leaf rust on wheat seedling leaves by pseudomonads

558 *D. Kadish and Y. Cohen.* Competition between metalaxyl-sensitive and metalaxyl-resistant isolates of *Phytophthora infestans* in the absence of metalaxyl

565 *M. M. López, M. T. Gorris and A. M. Montojo.* Opine utilization by Spanish isolates of *Agrobacterium tumefaciens*

573 *D. K. Malvick and L. W. Moore.* Survival and dispersal of a marked strain of *Pseudomonas syringae* in a maple nursery

New or unusual records

581 *M. D. Ramsey and D. R. Jones. Peronosclerospora maydis* found on maize, sweetcorn and plume sorghum in Far North Queensland

588 *R. S. Romeiro, R. M. Souza, J. J. Muchovej, P. J. G. Frigo and O. Kimura.* Cuneiform blight—a new bacterial disease of Tanier spinach

591 *G. K. Gupta and R. J. W. Byrde. Monilinia laxa* associated with blossom wilt of apricot and almond in Himachal Pradesh, India

594 *J. T. Fletcher, B. J. Smewin and R. T. A. Cook.* Tomato powdery mildew

599 *S. K. Raj, K. M. Srivastava, M. Aslam and B. P. Singh.* Occurrence of a strain of eggplant mottled crinkle virus in *Solanum capsicastrum* in India

604 *D. C. Harris. Diaporthe perniciosa* associated with plum dieback

607 Book reviews

Author index

Aslam, M., see Raj *et al.*, 599

Bailey, J., see O'Connell, 351
Bain, R.A., Lennard, J.H. and Wastie, R.L. The influence of cultivar and mechanical damage on the relationship between inoculum concentration of *Phoma exigua* var. *foveata* on potato tubers and gangrene development, 265
Bain, R.A. and Pérombelon, M.C.M. Methods of testing potato cultivars for resistance to soft rot of tubers caused by *Erwinia carotovora* subsp. *atroseptica*, 431
Barker, I. and Pitt. D. Detection of the leaf curl pathogen of anemones in corms by enzyme-linked immunosorbent assay (ELISA), 417
Bateman, G. L. *Pseudocercosporella anguioides*, a weakly pathogenic fungus associated with eyespot in winter wheat at a site in England, 291
Benedikz, P.W., see Scott *et al.*, 285
Bingham, J., see Hollins *et al.*, 251
Blackman, J.A., see Hollins *et al.*, 251
Boland, G.J. and Hall, R. Relationships between the spatial pattern and number of apothecia of *Sclerotinia sclerotiorum* and stem rot of soybean, 329
Boorer, K.J., see Hide *et al.*, 377
Bradbury, J.F. *Methods for the Diagnosis of Bacterial Diseases of Plants* (book review), 451
Brasier, C.M., see Dewey, 28
Bray, R.A. Inheritance of rust resistance in *Macroptilium atropurpureum*, 88
Bray, R.A., see Ogle *et al.*, 96
Brisbane, R.G. and Rovira, A.D. Mechanisms of inhibition of *Gaeumannomyces graminis* var. *tritici* by fluorescent pseudomonads, 104
Brown, J.D. and Brunt, A.A. The natural occurence white clover mosaic virus in sweet pea (*Lathyrus odoratus*) in south-east England, 445
Brunt, A.A., see Brown, 445
Bryde, R.J.W., see Gupta, 591
Burges, H.D. *Biological Control of Pests, Pathogens and Weeds: Development and Prospects* (book review), 609
Buxton, J.H. and Easterbrook, M.A. Thrips as a probable cause of severe fruit distortion in late-season strawberries, 278

Cameron, D.F., see Chakraborty *et al.*, 529
Chakraborty, S., Cameron, D.F., Irwin, J.A.G. and Edye, L.A. Quantitatively expressed resistance to anthracnose (*Colletotrichum gloeosporioides*) in *Stylosanthes scabra*, 529
Chet, I., see Levy *et al.*, 551
Clifford, B.C. *Populations of Plant Pathogens: Their Dynamics and Genetics* (book review), 155
Cohen, Y., see Kadish, 558
Cole, J.S. and Zvenyika, Z. Integrated control of *Rhizoctonia solani* and *Fusarium solani* in tobacco transplants with *Trichoderma harzianum* and triadimenol, 271
Coley-Smith, J.R. and Entwistle, A.R. Susceptibility of garlic to *Sclerotium cepivorum*, 261
Colhoun, J. *Plant Pathology: Principles and Practice* (book review), 304
Cook, R.J., *Genetics and Plant Pathogenesis* (book review), 303
Cook, R.T.A., see Fletcher *et al.*, 594
Cooper, D.A. *Crop Loss Assessment and Pest Management* (book review), 161
Cotterill, P.J. and Sivasithamparam, K. Importance of the proportion of grassy weeds within legume crops in the perpetuation of *Gaeumannomyces graminis* var. *tritici*, 337
Cristinzio, G., Marziano, R. and Giannattasio, M. Agglutination response of the conidia of eight *Fusarium* species to lectins having different sugar-binding specificities, 120
Crute, I.R. and Harrison, J.M. Studies on the inheritance of resistance to metalaxyl in *Bremia lactucae* and on the stability and fitness of field isolates, 231
Crute, I.R., see Lucas *et al.*, 538

Dashwood, E.P. and Fox, R.A. Infection of flowers and fruits of red raspberry by *Botrytis cinerea*, 423
Deacon, J.W., MacDonald, R.K.W., Fox, D.M. and Lascaris, D. Application of alginate gel for protection of wounds against crown gall (*Agrobacterium tumefaciens*), 522
Dekker, E.L., see Pinner *et al.*, 74
Derbyshire, D. *Compendium of Ornamental Foliage Plant Diseases* (book review), 163
Dewey, F.M. and Brasier, C.M. Development of ELISA for *Ophiostoma ulmi* using antigen-coated wells, 28
Dolan, A., see Munro *et al.*, 390
Duncan, J.M., see Kennedy., 397

Easterbrook, M.A., see Buxton, 278
Edye, L.A., see Chakraborty *et al.*, 529
Eidt, J., see Rotem *et al.*, 16
Elad, Y., Shabi E. and Katan, T. Negative cross resistance between benzimidazole *N*-phenylcarbamate fungicides and control of *Botrytis cinerea* on grapes, 141
England, N., see Gibbs *et al.*, 45
Ennos, R.A. and Swales, K.W. Genetic variation in tolerance of host monoterpenes in a population of the ascomycete canker pathogen *Crumenulopsis sororia*, 407
Entwistle, A.R., see Coley-Smith, 261
Epton, H.A.S., see Lord *et al.*, 385
Eyal, Z., see Levy *et al.*, 551
Fitt, B.D.L. *The Aerobiological Pathway of Micro-organisms* (book review), 159
Fitt, B.D.L., Goulds, A. and Polley, R.W. Eyespot (*Pseudocercosporella herpotrichoides*) epidemiology in relation to prediction of disease severity and yield loss in winter wheat—a review, 311
Fletcher, J.T. *Innovative Approaches to Plant Disease Control* (book review), 454
Fletcher, J.T. *The Tomato Crop: A Scientific Basis for Improvement* (book review), 156
Fletcher, J.T., see Locke, 381
Fletcher, J.T., Smewin, B.J. and Cook, R.T.A. Tomato powdery mildew, 594
Fox, D.M., see Deacon *et al.*, 522
Fox, R.A., see Dashwood, 423
Friend, J. *The Biochemistry and Physiology of Plant Disease* (book review), 457
Frigo, P.J.G., see Romeiro *et al.*, 588
Frost, R.R., see Lord *et al.*, 385

Galea, V.J. and Price, T.V. Survival of the lettuce anthracnose fungus (*Microdochium panattonianum*) in Victoria, 54
Galea, V.J. and Price, T.V. Resistance of lettuce and related species to anthracnose (*Microdochium panattonianum*) in Australia, 363
Giannattasio, M., see Cristinzio *et al.*, 120
Gibbs, J.N. *Diseases of Trees and Shrubs* (book review), 304
Gibbs, J.N., England, N. and Wolstenholme, R. Variation in the pine stem rust fungus *Peridermium pini* in the United Kingdom, 45
Gordon, P.L., see Lucas *et al.*, 538
Goulds, A., see Fitt *et al.*, 311
Greenhalgh, F.C., Merriman, P.R. and Keane, P.J. Relative importance of root rots of subterranean clover caused by *Aphanomyces euteiches* and *Phytophthora clandestina*, 344
Gunn, L.V. and Pares, R.D. Effect of potato physiology on the interpretation of ELISA results for potato leafroll virus, 516
Gupta, G.K. and Byrde, R.J.W. *Monilinia laxa* associated with blossom wilt of apricot and almond in Himachal Pradesh, India, 591
Gorris, M.T., see Lopez *et al.*, 565
Guy, P.L. Pasture ecology of barley dwarf viruses at Sandford, Tasmania, 546

Hall, R., see Boland, 329
Hall, S.M., see Hide *et al.*, 377
Harris, D.C. *Diaporthe perniciosa* associated with plum dieback, 604
Harrison, B.D. *Plant Virus Epidemics: Monitoring, Modelling and Predicting Outbreaks* (book review), 450

Harrison, J.G. The biology of *Botrytis* spp. on *Vicia* beans and chocolate spot disease, 168
Harrison, J.M., see Crute, 231
Heale, J.B., see Wright, 131
Herd, G.W. and Phillips, A.J.L. Control of seed-borne *Sclerotinia sclerotiorum* by fungicidal treatment of sunflower seed, 202
Hide, G.A., Hall, S.M. and Boorer, K.J. Resistance to thiabendazole in isolates of *Helminthosporium solani*, the cause of silver scurf disease of potatoes, 377
Hollins, T.W. *Compendium of Wheat Diseases* (book review), 457
Hollins, T.W., Lockley, K.D., Blackman, J.A., Scott, P.R. and Bingham, J. Field performance of Rendezvous, a wheat cultivar with resistance to eyespot (*Pseudocercosporella herpotrichoides*) derived from *Aegilops ventricosa*, 251
Hyakumachi, M. and Ui, T. Development of the teleomorph of non-self-anastomosing isolates of *Rhizoctonia solani* by a buried-slide method, 438

Irwin, J.A.G., see Chakraborty *et al.*, 529
Irwin, J.A.G., see Ogle *et al.*, 96

Jellis, G.J. *Viruses of Potatoes and Seed Potato Production* (book review), 453
Jenkyn, J.F. and King, J.E. Effects of treatments to perennial ryegrass on the development of *Septoria* spp. in a subsequent crop of winter wheat, 112
Jiménez Díaz, R.M. and Millar, R.L. Sporulation on infected tissues, and presence of airborne *Verticillium albo-atrum* in alfalfa fields in New York, 64
Johnson, G.I. Inhibition of germination of sporangia of *Peronospora hyoscyami* by cation deprivation: the effects of substate and chelating agents, 125
Johnson, R. *Coevolution and Systematics* (book review), 157
Johnston, H.W. and Scott, P.R. Identification of oat-adapted isolates of cereal *Septoria* in the UK using a detached leaf technique, 148
Jones, D.R., see Ramsey, 581

Kadish, D. and Cohen, Y. Competition between metalaxyl-sensitive and metalaxyl-resistant isolates of *Phytophthora infestans* in the absence of metalaxyl, 558
Katan, T., see Elad *et al.*, 141
Keane, P.J., see Greenhalgh *et al.*, 344
Kennedy, D.M. and Duncan, J.M. Frequency of virulence phenotypes of *Phytophthora fragariae* in the field, 397
Kimura, O., see Romeiro *et al.*, 300
Kimura, O., see Romeiro *et al.*, 588
King, J.E., see Jenkyn, 112
Kranz, J., see Rotem *et al.*, 12
Kranz, J., see Rotem *et al.*, 16

Lascaris, D., see Deacon *et al.*, 522
Lennard, J.H., see Bain, 265
Levy, E., Eyal, Z. and Chet, I. Suppression of *septoria tritici* blotch and leaf rust on wheat seedling leaves by pseudomonads, 551
Li, X., see Liu, 470
Liu, L. and Li, X. The geographical distribution of sunflower diseases in China, 470
Locke, T. and Fletcher, J.T. Incidence of benomyl and iprodione resistance in isolates of *Botrytis cinerea* in tomato crops in England and Wales in 1986, 381
Lockley, K.D., see Hollins *et al.*, 251
López, M.M., Gorris, M.T. and Montojo, A.M. Opine utilization by Spanish isolates of *Agrobacterium tumefaciens*, 565
Lord, K.M., Epton, H.A.S. and Frost, R.R. Virus infection and furanocoumarins in celery, 385
Lucas, J.A., Crute, I.R., Sherriff, C. and Gordon, P.L. The identification of a gene for race-specific resistance to *Peronospora parasitica* (downy mildew) in *Brassica napus* var. *oleifera* (oilseed rape), 538
Lutchmeah, R.S. *Botryodiplodia theobromae* causing fruit rot of *Annona muricata* in Mauritius, 152

MacDonald, R.K.W., see Deacon *et al.*, 522
Malvick, D.K. and Moore, L.W. Survival and dispersal of a marked strain of *Pseudomonas syringae* in a maple nursery, 573
Manners, J.G. *Control of Plant Diseases: Costs and Benefits* (book review), 608
Markham, P.G., see Pinner *et al.*, 74
Markham, R.H., see Pinner *et al.*, 74
Marziano, F., see Cristinzio *et al.*, 120
McGeary, F.M. and Wheeler, B.E.J. Growth rates of, and mycelial interactions between, isolates of *Crinipellis perniciosa* from cocoa, 489
McKeown, B. Downy mildew of boysenberry and tummelberry in the UK, 281
McQuilken, M.P., Supriadi and Rudgard, S.A. Sensitivity of *Crinipellis perniciosa* to two triazole fungicides *in vitro* and their effect on development of the fungus in cocoa, 499
Mepsted, R., see Wheeler, 475
Merriman, P.R., see Greenhalgh *et al.*, 344
Millar, R.L., see Jiménez Diaz, 64
Mohan, S.B. Evaluation of antisera raised against *Phytophthora fragariae* for detecting the red core disease of strawberries by enzyme-linked immunosorbent assay (ELISA), 206
Montojo, A.M., see López *et al.*, 565
Moore, L.W., see Malvick, 573
Munro, J.M., Dolan, A. and Williamson, B. Cane spot (*Elsinoë veneta*) in red raspberry: infection periods and fungicidal control, 390
Muchovej, J.J. Leaf spot of St Augustine grass (*Stenotaphrum secundatum*) caused by *Cochliobolus bicolor*, 447
Muchovej, J.J., see Romeiro *et al.*, 300
Muchovej, J.J., see Romeiro *et al.*, 588

O'Connell, R.J. and Bailey, J.A. Differences in the extent of fungal development, host cell necrosis and symptom expression during race-cultivar interactions between *Phaseolus vulgaris* and *Colletotrichum lindemuthianum*, 351
Ogle, H.J., Irwin, J.A.G. and Bray, R.A. Quantitative histological studies of compatible interactions between accessions of *Macroptilium atropurpureum* and *Uromyces appendiculatus*, 96
O'Reilly, P., Bannon, E. and Downes, M.J. *Leptosphaeria nodorum* on wheat in Ireland, 153

Paplomatas, E.J., see Tjamos, 507
Pares, R.D., see Gunn, 516
Pegg, G.F. *The Nature of Wilt Diseases of Plants* (book review), 307
Pérombelon, M.C.M., see Bain, 431
Phillips, A.J.L., see Herd, 202
Phillips, A.J.L., see Thompson, 297
Pinner, M.S., Markham, P.G., Markham, R.H. and Dekker, E.L. Characterization of maize streak virus: description of strains; symptoms, 74
Pitt, D., see Barker, 417
Plumb, R.T. *Plant Resistance to Viruses* (book review), 452
Polley, R.W., see Fitt *et al.*, 311
Preece, T.F. Some observations on *Pseudomonas*-induced plant diseases: a prelude to understanding their epidemiology, 460
Pretorius, Z.A., Rijkenberg, F.H.J. and Wilcoxson, R.D. Effects of growth stage, leaf position and temperature on adult-plant resistance of wheat infected by *Puccinia recondita* f.sp. *tritici*, 36
Price, T.V., see Galea, 363
Price, T.V., see Galea, 54
Punithalingam, E. *A Literature Guide for the Identification of Plant Pathogenic Fungi* (book review), 162

Raj, S.K., Srivastava, K.M., Aslam, M. and Singh, B.P. Occurrence of a strain of eggplant mottled crinkle virus in *Solanum capsicastrum* in India, 599
Ramsey, M.D. and Jones, D.R. *Peronosclerospora maydis* found on maize, sweetcorn and plume sorghum in Far North Queensland, 581
Rijkenberg, F.H.J., see Pretorius *et al.*, 36

Romeiro, R.S., Souza, R.M., Muchovej, J.J., Frigo, P.J.G. and Kimura, O. Cuneiform blight—a new bacterial disease of Tanier spinach, 588
Romeiro, R.S., Sousa, R.M., Muchovej, J.J. and Kimura, O. Soft rot of Peruvian carrot due to *Erwinia carotovora* in Brazil, 300
Rotem, J., Eidt, J., Wendt, U. and Kranz, J. Relative effects of *Alternaria alternata* and *A. macrospora* on cotton crops in Israel, 16
Rotem, J., Wendt, U. and Kranz, J. The effect of sunlight on symptom expression of *Alternaria alternata* on cotton, 12
Rovira, A.D., see Brisbane, 104
Rudgard, S.A., see McQuilken *et al.*, 499
Rumbos, I.C. *Cytospora oleina* causing canker and dieback of olive in Greece, 441

Sanderson, F.R., see Scott, 285
Scott, P.R., Sanderson, F.R. and Benedikz, P.W. Occurrence of *Mycosphaerella graminicola*, teleomorph of *Septoria tritici*, on wheat debris in the UK, 285
Scott, P.R., see Hollins *et al.*, 251
Scott, P.R., see Johnston, 148
Shabi, E., see Elad *et al.*, 141
Shattock, R.C. *A Reappraisal of* Ascochytella (*Coelomycetes*) (book review), 610
Shattock, R.C. *Ascochyta II. Species on Monocotyledons* (*excluding grasses*), *Cryptogams and Gymnosperms* (book review), 610
Shattock, R.C. *Graminicolous Species of* Bipolaris, Curvularia, Drechslera, Exserohilum *and their Teleomorphs* (book review), 610
Shattock, R.C. Studies on the inheritance of resistance to metalaxyl in *Phytophthora infestans*, 4
Shephard, M.C. *Modern Selective Fungicides: Properties, Applications and Mechanisms of Action* (book review), 305
Sherriff, C., see Lucas *et al.*, 538
Sivasithamparam, K., see Cotterill, 337
Smedegård-Petersen, V., see Thordal-Christensen, 20
Smewin, B.J., see Fletcher *et al.*, 594
Singh, B.P., see Raj *et al.*, 599
Singh, H. *Plant Diseases* (book review), 456
Sousa, R.M., see Romeiro *et al.*, 300
Souza, R.M., see Romeiro *et al.*, 588
Srivastava, K.M., see Raj *et al.*, 599
Stead, D.E. *Guide to Plant Pathogenic Bacteria* (book review), 306
Supriadi, see McQuilken *et al.*, 499
Swales, K.W., see Ennos, 407

Thompson, A.H. and Phillips, A.J.L. Root rot of cabbage caused by *Phytophthora drechsleri*, 297
Thordal-Christensen, H. and Smedegård-Petersen, V. Comparison of resistance-inducing abilities of virulent and avirulent races of *Erysiphe graminis* f.sp. *hordei* and a race of *Erysiphe graminis* f.sp. *tritici* in barley, 20
Tjamos, E.C. and Paplomatas, E.J. Long-term effect of soil solarization in controlling verticillium wilt of globe artichokes in Greece, 507
Trudgill, D.L. *Pathogenicity of the Pine Wood Nematode* (book review), 308

Ui, T., see Hyakumachi, 438

Vakalounakis, D.J. Cultivar reactions and the genetic basis of resistance to alternaria stem canker (*Alternaria alternata* f.sp. *lycopersici*) in tomato, 373
Vakalounakis, D. J. The genetic analysis of resistance to fusarium crown and root rot of tomato, 71
Vanderplank, J.E. Specificity, interaction and additivity in host-pathogen systems, 165

Washington, W.S. *Phytophthora cryptogea* as a cause of root rot of raspberry in Australia; resistance of raspberry cultivars and control by fungicides, 225
Wastie, R.L. *The Production of New Potato Varieties: Technological Advances* (book review), 308

Wastie, R.L., see Bain, 265
Webber, J.F. Effect of MBC fungicide tolerance on the fitness of *Ophiostoma ulmi*, 217
Wendt, U., see Rotem *et al.*, 12
Wendt, U., see Rotem *et al.*, 16
Wheeler, B.E.J. *European Handbook of Plant Diseases* (book review), 607
Wheeler, B.E.J. and Mepsted, R. Pathogenic variability amongst isolates of *Crinipellis perniciosa* from cocoa (*Theobroma cacao*), 475
Wheeler, B.E.J., see McGeary, 489
Wilcoxson, R.D., see Pretorius *et al.*, 36
Williamson, B., see Munro *et al.*, 390
Wolstenholme, R., see Gibbs *et al.*, 45
Wright, A.J. and Heale, J.B. Host responses to fungal penetration in *Erysiphe graminis* f.sp. *hordei* infections in barley, 131

Yarham, D.J. *The Pesticide Manual: A World Compendium* (book review), 158

Zvenyika, Z., see Cole, 271